

נספח א'

ממקורות סיכון המכילים חומרים מסוכנים המנויים בנספח זה, בכמות של מעל 100 ק"ג בתהליך, יישמר תמיד מרחק ההפרדה של 50 מטרים. ויודגש – כי במקרים אלה אין לנתח תרחיש ייחוס. החומרים המופיעים בנספח א' נבחרו בשל השתייכותם לאחת או יותר מקבוצות הסיכון ולקטגוריות הבאות הרלבנטיות לאירועי חומרים מסוכנים, כפי שהן מוגדרות בפרסום הבינלאומי:

Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

במקרים בהם חומר המופיע בנספח זה נמצא כחלק מתערובת או תמיסה – יהיו התערובת או התמיסה בתחולת נספח זה אם מתקיימים שני התנאים:

- המשקל הכולל של התערובת או התמיסה מעל 100 ק"ג;
- התערובת או התמיסה מסווגות לאחת או יותר מקבוצות הסיכון והקטגוריות שבטבלה לעיל.

המקור לרשימת הכימיקלים המסווגים לאחת או יותר מקבוצות הסיכון הנ"ל הוא טבלה מספר 3.1 של התקנה האירופאית:

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures

הערה: חלק מן החומרים המופיעים בטבלה מצוינים גם בשמות נרדפים. במקרה זה מפריד בין השמות הנרדפים התו ";". המיון האלפביתי של הרשימה הוא רק לפי הראשון מבין השמות הנרדפים. לכן, מומלץ לבדוק השתייכות חומר לרשימה על מספר CAS ולא על פי שם החומר.

Name	CAS No.
acetic acid	64-19-7
acetic anhydride	108-24-7
acetone; propan-2-one; propanone	67-64-1
acetonitrile; cyanomethane	75-05-8
reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid	-
reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid	66230-04-4
acetyl chloride	75-36-5
aconitine	302-27-2
salts of aconitine	-

acrylamide;	79-06-1
prop-2-enamide	
acrylic acid, monoester with propane-1,2-diol	25584-83-2
acrylic acid;	79-10-7
prop-2-enoic acid	
aldicarb (ISO);	116-06-3
2-methyl-2-(methylthio)propanal-O-(N-methylcarbamoyl)oxime	
aldrin (ISO)	309-00-2
alkali fluorosilicates(K)	16871-90-2
alkali fluorosilicates(Na)	16893-85-9
alkali fluorosilicates(NH ₄)	16919-19-0
Alkanes, C1-2;	68475-57-0
Petroleum gas	
Alkanes, C1-4, C3-rich;	90622-55-2
Petroleum gas	
Alkanes, C2-3;	68475-58-1
Petroleum gas	
Alkanes, C3-4;	68475-59-2
petroleum gas	
Alkanes, C4-5;	68475-60-5
Petroleum gas	
C8-18alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate	68132-19-4
allyl glycidyl ether;	106-92-3
allyl 2,3-epoxypropyl ether;	
prop-2-en-1-yl 2,3-epoxypropyl ether	
allyl methacrylate;	96-05-9
2-methyl-2-propenoic acid 2-propenyl ester	
aluminium alkyls	-
aluminium phosphide	20859-73-8
aluminium powder (pyrophoric)	7429-90-5
3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6H)-pyran-2-carboxylic acid;	2079-00-7
blasticidin-s	
sec-butylamine; 2-aminobutane	13952-84-6
(R)-sec-butylamine; (R)-2-aminobutane	13250-12-9
(S)-sec-butylamine; (S)-2-aminobutane	513-49-5
aminocarb (ISO);	2032-59-9
4-dimethylamino-3-tolyl methylcarbamate	
2-aminoethyldimethylamine;	108-00-9
2-dimethylaminoethylamine	
4-amino-N,N-diethylaniline;	93-05-0
N,N-diethyl-p-phenylenediamine	

4-amino-N,N-dimethylaniline; 3-amino-N,N'-dimethylaniline	99-98-9
N,N-bis(3-aminopropyl)methylamine	105-83-9
3-aminopropyldiethylamine; N,N-diethyl-1,3-diaminopropane	104-78-9
3-aminopropyldimethylamine; N,N-dimethyl-1,3-diaminopropane	109-55-7
(4-ammonio-m-tolyl)ethyl(2-hydroxyethyl)ammonium sulphate; 4-(N-ethyl-N-2-hydroxyethyl)-2-methylphenylenediamine sulphate	25646-77-9
ammonium bifluoride; ammonium hydrogen difluoride	1341-49-7
ammonium dichromate	7789-09-5
ammonium fluoride	12125-01-8
ammonium perchlorate; [containing ≥ 80 % of 0-30 μm particles]	7790-98-9
ammonium salt of DNOC; ammonium 4,6-dinitro-o-tolyl oxide	2980-64-5
amyl nitrite, mixed isomers	110-46-3
aniline	62-53-3
salts of aniline	-
p-anisidine; 4-methoxyaniline	104-94-9
antimony trifluoride	7783-56-4
antu (ISO); 1-(1-naphthyl)-2-thiourea	86-88-4
arsenic	7440-38-2
arsenic acid and its salts with the exception of those specified elsewhere in this Annex	-
arsenic compounds, with the exception of those specified elsewhere in this Annex	-
atropine	51-55-8
salts of atropine	-
8-azaspiro[4.5]decane-7,9-dione	1075-89-4
azinphos-ethyl (ISO); O,O-diethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate	2642-71-9
azinphos-methyl (ISO); O,O-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate	86-50-0
azocyclotin (ISO); 1-(tricyclohexylstannyl)-1H-1,2,4-triazole	41083-11-8

azoxystrobin (ISO); methyl (E)-2-{{2-[6-(2-cyanophenoxy)pyrimidin-4- yloxy]phenyl}}-3-methoxyacrylate	131860-33-8
barium chlorate	13477-00-4
barium chloride	10361-37-2
barium perchlorate	13465-95-7
barium peroxide	1304-29-6
basic phenylmercury nitrate	8003-05-2
bendiocarb (ISO); 2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate	22781-23-3
benfuracarb (ISO); ethyl N-[2,3-dihydro-2,2-dimethylbenzofuran-7- yloxy carbonyl(methyl)aminothio]-N-isopropyl- β-alaninate	82560-54-1
benquinox (ISO); p-benzoquinone 1-benzoylhydrazone 4-oxime	495-73-8
benzene	71-43-2
benzene-1,4-diamine dihydrochloride; p-phenylenediamine dihydrochloride	624-18-0
3-(benzo[b]thien-2-yl)-5,6-dihydro-1,4,2-oxathiazine-4-oxide	163269-30-5
1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride	70918-74-0
p-benzoquinone; quinone	106-51-4
(benzothiazol-2-ylthio)methyl thiocyanate; TCMTB	21564-17-0
benzyl dimethylamine	103-83-3
beryllium	7440-41-7
beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex	-
beryllium oxide	1304-56-9
2,2'-bioxirane; 1,2:3,4-diepoxybutane	1464-53-5
3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4- hydroxycoumarin; difenacoum	56073-07-5
2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane	-
reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid	-
boron tribromide	10294-33-4
1-bromo-2-methylpropyl propionate	158894-67-8
2-bromo-2-nitropropanol	24403-04-1
1-bromo-3,4,5-trifluorobenzene	138526-69-9
1-bromo-3,5-difluorobenzene	461-96-1
bromoacetic acid	79-08-3

bromobenzene	108-86-1
bromoethane; ethyl bromide	74-96-4
bromoethylene	593-60-2
bromoform; tribromomethane	75-25-2
5-(2-bromophenyl)-2-tert-butyl-2H-tetrazole	-
bromophos-ethyl (ISO); O-4-bromo-2,5-dichlorophenyl O,O-diethyl phosphorothioate	4824-78-6
2-bromopropane	75-26-3
1-bromopropane; n-propyl bromide	106-94-5
bromoxynil (ISO); 3,5-dibromo-4-hydroxybenzotrile; bromoxynil phenol	1689-84-5
bromoxynil octanoate (ISO); 2,6-dibromo-4-cyanophenyl octanoate	1689-99-2
salts of bromoxynil with the exception of those specified elsewhere in this Annex	-
brucine nitrate	5786-97-0
brucine sulphate	4845-99-2
brucine; 2,3-dimethoxystrychnine	357-57-3
bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β -D- glucopyranosyloxy)-8,14-dihydroxy-, (3 β , 6 β)-; red squill; scilliroside	507-60-8
bufencarb (ISO); reaction mass of 3-(1-methylbutyl)phenyl N- methylcarbamate and 3-(1-ethylpropyl)phenyl N- methylcarbamate	8065-36-9
but-2-yne-1,4-diol; 2-butyne-1,4-diol	110-65-6
butan-1-ol; n-butanol	71-36-3
(\pm)-butan-2-ol	15892-23-6
(R)-butan-2-ol	14898-79-4
(S)-butan-2-ol	4221-99-2
butan-2-ol	78-92-2
butane containing $\geq 0,1$ % butadiene	106-97-8
butanone; ethyl methyl ketone	78-93-3
butocarboxim (ISO); 3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime	34681-10-2
2-(2-butoxyethoxy)ethyl thiocyanate	112-56-1

butyl (dialkyloxy(dibutoxyphosphoryloxy))titanium (trialkyloxy)titanium phosphate	-
n-butyl acetate	123-86-4
n-butyl acrylate	141-32-2
butyl butyrate	109-21-7
butyl chloroformate; chloroformic acid butyl ester	592-34-7
butyl formate	592-84-7
butyl glycidyl ether; butyl 2,3-epoxypropyl ether	2426-08-6
n-butyl methacrylate	97-88-1
butyl nitrite	544-16-1
n-butyl propionate	590-01-2
sec-butyl propionate	591-34-4
tert-butyl propionate	540-42-1
(2-butyl-5-nitrobenzofuran-3-yl)[4-(3- dibutylaminopropoxy)phenyl]methanone	141645-23-0
butylamine	109-73-9
butyraldehyde	123-72-8
butyraldehyde oxime	110-69-0
n-butyronitrile	109-74-0
butyryl chloride	141-75-3
cadmium (non-pyrophoric)	7440-43-9
cadmium (pyrophoric)	7440-43-9
cadmium chloride	10108-64-2
cadmium cyanide	542-83-6
cadmium diformate; cadmiumformate	4464-23-7
cadmium fluoride	7790-79-6
cadmium iodide	7790-80-9
cadmium oxide (non-pyrophoric)	1306-19-0
cadmium sulphate	10124-36-4
cadmiumhexafluorosilicate(2-); cadmium fluorosilica	17010-21-8
calcium cyanide	592-01-8
calcium hypochlorite	7778-54-3
calcium phosphide; tricalcium diphosphide	1305-99-3
camphechlor (ISO); toxaphene	8001-35-2
captan (ISO); 1,2,3,6-tetrahydro-N-(trichloromethylthio)phthalimide	133-06-2
carbofuran (ISO); 2,3-dihydro-2,2-dimethylbenzofuran-7-yl N- methylcarbamate	1563-66-2

carbon monoxide	630-08-0
carbon tetrachloride; tetrachloromethane	56-23-5
carbophenothion (ISO); 4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate	786-19-6
carbosulfan (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio]methylcarbamate	55285-14-8
2-chloroacetamide	79-07-2
chloral hydrate; 2,2,2-trichloroethane-1,1-diol	302-17-0
chlordecone (ISO); perchloropentacyclo[5,3,0,02,6,03,9,04,8]decan-5-one; decachloropentacyclo[5,2,1,02,6,03,9,05,8]decan-4-one	143-50-0
chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5- trifluoromethylpyrrole-3-carbonitrile	122453-73-0
chlorfenvinphos (ISO); 2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate	470-90-6
chlorine dioxide	10049-04-4
chlorine dioxide	10049-04-4
chlorine dioxide	10049-04-4
chlormephos (ISO); S-chloromethyl O,O-diethyl phosphorodithioate	24934-91-6
2-chloro-1,3,5-trinitrobenzene	88-88-0
5-chloro-2,3-difluoropyridine	89402-43-7
R-1-chloro-2,3-epoxypropane	51594-55-9
3-chloro-2-methylpropene	563-47-3
2-chloro-3-trifluoromethylpyridine	65753-47-1
3-chloro-4,5,α, α,α-pentafluorotoluene	77227-99-7
1-chloro-4-nitrobenzene	100-00-5
2-chloro-5-chloromethylthiazole	105827-91-6
3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(N- methylcarbamoyl)oxime; triamid	15271-41-7
chloroacetaldehyde	107-20-0
chloroacetic acid	79-11-8
chloroacetonitrile	107-14-2
chloroacetyl chloride	79-04-9
4-chloroaniline	106-47-8
chloroanilines, with exception of those specified elsewhere in this Annex	-
chlorobenzene	108-90-7

1-chlorobutane; butyl chloride	109-69-3
chlorodinitrobenzene	-
2-chloroethanol; ethylene chlorohydrin	107-07-3
bis(2-chloroethyl) ether	111-44-4
3-(2-chloroethyl)-6,7,8,9-tetra-hydro-2-methyl-4H- pyrido[1,2-a]pyrimidin-4-one monohydrochloride	93076-03-0
1-chloro-N,N-diethyl-1,1-diphenyl-1- (phenylmethyl)phosphoramine	82857-68-9
chloronitroanilines with the exception of those specified elsewhere in this Annex	-
4-chloro-o-cresol; 4-chloro-2-methyl phenol	1570-64-5
4-chloro-o-toluidine	95-69-2
4-chloro-o-toluidine hydrochloride	3165-93-3
2-chloropentane	625-29-6
3-chloropentane	616-20-6
chloropentane	543-59-9
chlorophacinone (ISO); 2-(2-(4-chlorophenyl)phenylacetyl)indan-1,3-dione	3691-35-8
4-chlorophenylisocyanate	104-12-1
S-(chlorophenylthiomethyl) O,O- dimethylphosphorodithioate; methylcarbophenothione	953-17-3
1-chloropropane	540-54-5
3-chloropropyl chloroformiate	628-11-5
cis-1-(3-chloropropyl)-2,6-dimethyl-piperidin hydrochloride	63645-17-0
chlorothalonil (ISO); tetrachloroisophthalonitrile	1897-45-6
α -chlorotoluene; benzyl chloride	100-44-7
chlorphonium chloride (ISO); tributyl (2,4-dichlorobenzyl) phosphonium chloride	115-78-6
chlorpyrifos (ISO); O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	2921-88-2
chlorthiophos (ISO); [isomeric reaction mass in which O-2,5-dichlorophenyl-4- methylthiophenyl O,O-diethyl phosphorothioate predominates]	21923-23-9
chromium (VI) trioxide	1333-82-0
chromyl dichloride; chromic oxychloride	14977-61-8
cobalt lithium nickel oxide	-
colchicine	64-86-8

colecalfiferol; Vitamin D3	67-97-0
coumafuryl (ISO); fumarin; (RS)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin; 4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin	117-52-2
coumaphos (ISO); O-3-chloro-4-methylcoumarin-7-yl O,O-diethyl phosphorothioate	56-72-4
coumatetralyl; 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin	5836-29-3
coumithoate (ISO); O,O-diethyl O-,8,9,10-tetrahydro-6-oxo-benzo(c)chromen-3- yl phosphorothioate	572-48-5
m-cresol	108-39-4
mix-cresol	1319-77-3
o-cresol	95-48-7
p-cresol	106-44-5
crimidine (ISO); 2-chloro-6-methylpyrimidin-4-yldimethylamine	535-89-7
crotoxyphos (ISO); 1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate	7700-17-6
cumene	98-82-8
cyanamide; carbanonitril	420-04-2
α -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)- 2,2-dimethylcyclopropanecarboxylate; beta-cyfluthrin	68359-37-5
cyanofenphos (ISO); O-4-cyanophenyl O-ethyl phenylphosphonothioate	13067-93-1
cyanthoate (ISO); S-(N-(1-cyano-1-methylethyl)carbamoylmethyl) O,O-diethyl phosphorothioate	3734-95-0
cyclohexane	110-82-7
cyclohexanone	108-94-1
cyclohexanone, peroxide	12262-58-7
cyclohexanone, peroxide	12262-58-7
cycloheximide (ISO); 4-{{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2- hydroxyethyl}} piperidine-2,6-dione	66-81-9
cyclohexylidene hydroperoxide	2699-11-8
cyclohexylidene hydroperoxide	2699-11-8
cyclopentane	287-92-3
cyclopentanone	120-92-3

cyclopentyl chloroformate	50715-28-1
cyfluthrin (ISO); α -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)- 2,2-dimethylcyclopropanecarboxylate	68359-37-5
α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)- 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)- 2,2-dimethylcyclopropanecarboxylate	67375-30-8
cyprofuram (ISO); N-(3-chlorophenyl)-N-(tetrahydro-2-oxo-3- furyl)cyclopropanecarboxamide	69581-33-5
DDT (ISO); clofenotane (INN); dicophane; 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane; dichlorodiphenyltrichloroethane	50-29-3
decarbofuran (ISO); 2,3-dihydro-2-methylbenzofuran-7-yl methylcarbamate	1563-67-3
deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2- dibromovinyl)-2,2-dimethylcyclopropanecarboxylate	52918-63-5
demephion-O (ISO); O,O-dimethyl O-2-methylthioethyl phosphorothioate	682-80-4
demephion-S (ISO); O,O-dimethyl S-2-methylthioethyl phosphorothioate	2587-90-8
demeton	8065-48-3
demeton-O (ISO); O,O-diethyl-O-2-ethylthioethyl phosphorothioate	298-03-3
demeton-O-methyl (ISO); O-2-ethylthioethyl O,O-dimethyl phosphorothioate	867-27-6
demeton-S (ISO); diethyl-S-2-ethylthioethyl phosphorothioate	126-75-0
demeton-S-methyl (ISO); S-2-ethylthioethyl dimethyl phosphorothioate	919-86-8
demeton-S-methylsulphon (ISO); S-2-ethylsulphonyl ethyl dimethyl phosphorothioate	17040-19-6
1,3-di(prop-2,2-diyl)benzene bis(neodecanoylperoxide)	117663-11-3
dialifos (ISO); 2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate	10311-84-9
4,4'-diamino-2-methylazobenzene	43151-99-1
4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline	101-77-9

diammonium 1-hydroxy-2-(4-(4-carboxyphenylazo)-2,5-dimethoxyphenylazo)-7-amino-3-naphthalenesulfonate	-
diammonium hexachloroplatinate	16919-58-7
diammonium peroxodisulphate; ammonium persulphate	7727-54-0
diammonium tetrachloroplatinate	13820-41-2
diarsenic pentaoxide; arsenic pentoxide; arsenic oxide	1303-28-2
diarsenic trioxide; arsenic trioxide	1327-53-3
dibenzoyl peroxide; benzoyl peroxide	94-36-0
1,2-dibromo-3-chloropropane	96-12-8
1,2-dibromoethane	106-93-4
2,3-dibromopropan-1-ol; 2,3-dibromo-1-propanol	96-13-9
dibutyltin dichloride; (DBTC)	683-18-1
dichloro-1,3,5-triazinetriene; dichloroisocyanuric acid	2782-57-2
2,2-dichloro-1,3-benzodioxol	2032-75-9
1,1-dichloro-1-nitroethane	594-72-9
3,5-dichloro-2,4-difluorobenzoyl fluoride	101513-70-6
1,3-dichloro-2-propanol	96-23-1
2,4-dichloro-3-ethyl-6-nitrophenol	99817-36-4
2,6-dichloro-4-nitroanisole	17742-69-7
1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione	89415-87-2
3,4-dichloroaniline	95-76-1
1,4-dichlorobut-2-ene	764-41-0
dichlorodioctyl stannane	3542-36-7
1,1-dichloroethane	75-34-3
1,2-dichloroethane; ethylene dichloride	107-06-2
cis-dichloroethylene	156-59-2
dichloroethylene	540-59-0
trans-dichloroethylene	156-60-5
2,4-dichlorophenol	120-83-2
1-(3,4-dichlorophenylimino) thiosemicarbazide	5836-73-7
1,2-dichloropropane; propylene dichloride	78-87-5
(Z)-1,3-dichloropropene	10061-01-5
1,1-dichloropropene	563-58-6
dichloropropene	542-75-6

2,3-dichloropropene;	78-88-6
2,3-dichloropropylene	
α,α -dichlorotoluene;	98-87-3
benzylidene chloride;	
benzal chloride	
2,2-dichlorovinyl 2-ethylsulphinyethyl methyl phosphate	7076-53-1
dichlorvos (ISO);	62-73-7
2,2-dichlorovinyl dimethyl phosphate	
dichromium tris(chromate);	24613-89-6
chromium III chromate;	
chromic chromate	
dicrotophos (ISO);	141-66-2
(Z)-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate	
dicyclohexylcarbodiimide	538-75-0
dieldrin (ISO)	60-57-1
1,2-diethoxyethane	629-14-1
1,1-diethoxyethane;	105-57-7
acetal	
1,2-diethoxypropane	10221-57-5
1,3-diethoxypropane	3459-83-4
diethyl(ethyl dimethylsilanolato)aluminium	55426-95-4
diethylamine	109-89-7
2-diethylaminoethanol;	100-37-8
N,N-diethylethanolamine	
N,N-diethylaniline	91-66-7
diethylmercury	627-44-1
diethylmethoxyborane	7397-46-8
N,N-diethyl-N',N'-dimethylpropan-1,3-diyl-diamine	62478-82-4
N5,N5-diethyltoluene-2,5-diamine monohydrochloride;	2051-79-8
4-diethylamino-2-methylaniline monohydrochloride	
diethylzinc	557-20-0
digitoxin	71-63-6
6,7-dihydrodipyrido[1,2- α :2',1'-c]pyrazinediylum	94021-76-8
dihydroxide	
diisopropyl ether	108-20-3
diisopropylamine	108-18-9
diketene;	674-82-8
diketen	
dilauroyl peroxide	105-74-8
dimefox (ISO);	115-26-4
tetramethylphosphorodiamidic fluoride	
dimercury dicyanide oxide;	1335-31-5
mercuric oxycyanide	

1,1-dimethoxyethane; dimethyl acetal	534-15-6
1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME	110-71-4
1,2-dimethoxypropane	7778-85-0
dimethyl (2S)-2-hydroxysuccinate	617-55-0
dimethyl 4-(methylthio)phenyl phosphate	3254-63-5
dimethyl carbonate	616-38-6
5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5- dimethyldihydroresorcinol dimethylcarbamate; Dimetan	122-15-6
2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine) di-methylamine	6864-37-5 124-40-3
4-dimethylaminobenzenediazonium 3-carboxy-4- hydroxybenzenesulfonate	-
2-dimethylaminoethanol; N,N-dimethylethanolamine	108-01-0
bis(2-dimethylaminoethyl)(methyl)amine	3030-47-5
1-dimethylaminopropan-2-ol; dimepranol (INN)	108-16-7
N,N-dimethylaniline	121-69-7
N,N-dimethylbenzene-1,3-diamine	2836-04-6
α,α -dimethylbenzyl hydroperoxide; cumene hydroperoxide	80-15-9
bis(α,α -dimethylbenzyl) peroxide	80-43-3
2,2-dimethylbutane	75-83-2
2,3-dimethylbutane	79-29-8
dimethylcarbamoyl chloride	79-44-7
1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5- carbethoxymethylthio-1H-1,2,4-triazole	110895-43-7
1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate; dimetilan (ISO)	644-64-4
1,4-dimethylcyclohexane	589-90-2
2,6-dimethylheptan-4-one; di-isobutyl ketone	108-83-8
2,2-dimethylhexane	590-73-8
2,3-dimethylhexane	584-94-1
2,4-dimethylhexane	589-43-5
2,5-dimethylhexane	592-13-2
3,3-dimethylhexane	563-16-6
3,4-dimethylhexane	583-48-2

1,2-dimethylhydrazine	540-73-8
dimethylmercury	593-74-8
N,N-dimethyl-m-toluidine	121-72-2
dimethylnitrosoamine; N-nitrosodimethylamine	62-75-9
N,N-dimethyl-o-toluidine	609-72-3
2,4-dimethylpentan-3-one; di-isopropyl ketone	565-80-0
2,2-dimethylpentane	590-35-2
2,3-dimethylpentane	565-59-3
2,4-dimethylpentane	108-08-7
3,3-dimethylpentane	562-49-2
1,1-dimethylpropyl 3,5,5-trimethylperoxyhexanoate	68860-54-8
N,N-dimethyl-p-toluidine	99-97-8
[(dimethylsilylene)bis((1,2,3,3a,7a-η)-1H-inden-1-ylidene)dimethyl]hafnium	137390-08-0
dimethylsulfamoylchloride	13360-57-1
2,2-dimethyltrimethylene diacrylate; neopentyl glycol diacrylate	2223-82-7
dimethylzinc	544-97-8
di-n-butyl ether; dibutyl ether	142-96-1
di-n-butylamine	111-92-2
dinex (ISO); 2-cyclohexyl-4,6-dinitrophenol	131-89-5
salts and esters of dinex	-
2,4-dinitroaniline	97-02-9
1,2-dinitrobenzene	528-29-0
1,3-dinitrobenzene	99-65-0
1,4-dinitrobenzene	100-25-4
dinitrobenzene	25154-54-5
dinitrogen tetraoxide	10544-72-6
2,3-dinitrophenol	66-56-8
2,4(or 2,6)-dinitrophenol	71629-74-8
2,4-dinitrophenol	51-28-5
2,5-dinitrophenol	329-71-5
2,6-dinitrophenol	573-56-8
3,4-dinitrophenol	577-71-9
dinitrophenol (reaction mass of isomers)	25550-58-7
dinitrophenol salts	-
2,3-dinitrotoluene	602-01-7
2,4-dinitrotoluene	121-14-2
2,5-dinitrotoluene	619-15-8
2,6-dinitrotoluene	606-20-2

3,4-dinitrotoluene	610-39-9
3,5-dinitrotoluene	618-85-9
dinitrotoluene	25321-14-6
dinobuton (ISO); 2-(1-methylpropyl)-4,6-dinitrophenyl isopropyl carbonate	973-21-7
di-n-octylaluminium iodide	7585-14-0
dinosam (ISO); 2-(1-methylbutyl)-4,6-dinitrophenol	4097-36-3
salts and esters of dinosam	-
dinoseb (ISO); 6-sec-butyl-2,4-dinitrophenol	88-85-7
salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex	-
dinoterb (ISO); 2-tert-butyl-4,6-dinitrophenol	1420-07-1
salts and esters of dinoterb	-
dioxabenzofos (ISO); 2-methoxy-4H-1,3,2-benzodioxaphosphorin 2-sulphide	3811-49-2
dioxacarb (ISO); 2-(1,3-dioxolan-2-yl)phenyl N-methylcarbamate	6988-21-2
1,4-dioxane	123-91-1
dioxathion (ISO); 1,4-dioxan-2,3-diyl-O,O',O',O'-tetraethyl di(phosphorodithioate)	78-34-2
1,3-dioxolane	646-06-0
1,1'-dioxybiscyclohexan-1-ol	2407-94-5
1,1'-dioxybiscyclohexan-1-ol	2407-94-5
dipentene; limonene	138-86-3
diphacinone (ISO); 2-diphenylacetylindan-1,3-dione	82-66-6
diphenylamine	122-39-4
dipicrylamine, ammonium salt	2844-92-0
dipotassium hexachloroplatinate	16921-30-5
dipotassium peroxodisulphate; potassium persulphate	7727-21-1
dipotassium tetrachloroplatinate	10025-99-7
dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3- methylnaphthalene-1,2-dicarboxylate; propylisome	83-59-0
dipropyl ether	111-43-3
dipropylamine	142-84-7
diquat dibromide	85-00-7
diquat dichloride	4032-26-2
di-sec-butylamine	626-23-3

disodium hexachloroplatinate	16923-58-3
disodium sulfide; sodium sulfide	1313-82-2
disodium tetrachloroplatinate	10026-00-3
Distillates (petroleum), C3-6, piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C3 through C6. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C3 through C6, predominantly piperylenes.]	68477-35-0
disulfoton (ISO); O,O-diethyl 2-ethylthioethyl phosphorodithioate	298-04-4
disulphur dichloride; sulfur monochloride	10025-67-9
di-tert-(C12-14)-alkylammonium 2- benzothiazolylthiosuccinate	125078-60-6
di-tert-butyl peroxide	110-05-4
dithallium sulphate; thallic sulphate	7446-18-6
DNOC (ISO); 4,6-dinitro-o-cresol	534-52-1
3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin)-yl)-2,5- pyrrolidindione	106917-30-0
drazoxolon (ISO); 4-(2-chlorophenylhydrazone)-3-methyl-5-isoxazolone	5707-69-7
edifenphos (ISO); O-ethyl S,S-diphenyl phosphorodithioate	17109-49-8
endosulfan (ISO); 1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6- ylenedimethylene sulfite; 1,4,5,6,7,7-hexachloro-8,9,10-trinorborn-5-en-2,3- ylenedimethylene sulfite	115-29-7
endothal (ISO); 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid	145-73-3
endothal-sodium (ISO); disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate	129-67-9
endothion (ISO); S-5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate	2778-04-3
endrin (ISO); 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a- octahydro-1,4:5,8-dimethanonaphthalene	72-20-8

R-2,3-epoxy-1-propanol	57044-25-4
1,2-epoxy-4-epoxyethylcyclohexane; 4-vinylcyclohexene diepoxide	106-87-6
1,2-epoxybutane	106-88-7
2,3-epoxypropan-1-ol; glycidol; oxiranemethanol	556-52-5
2,3-epoxypropyl acrylate; glycidyl acrylate	106-90-1
1,3,5-tris-[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione	59653-74-6
ergocalciferol (ISO); Vitamin D2	50-14-6
esfenvalerate (ISO); (S)- α -cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3- methylbutyrate	66230-04-4
ethanol; ethyl alcohol	64-17-5
ethidium bromide; 3,8-diamino-1-ethyl-6-phenylphenanthridinium bromide	1239-45-8
ethion (ISO); O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate); diethion	563-12-2
ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate	13194-48-4
2-ethoxy-1-methylethyl acetate; 2PG1EEA	54839-24-6
2-ethoxyaniline; o-phenetidine	94-70-2
2-ethoxyethanol; ethylene glycol monoethyl ether	110-80-5
2-ethoxyethyl acetate; ethylglycol acetate	111-15-9
1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether	1569-02-4
ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)- lactate	687-47-8
ethyl 2-(3-benzoylphenyl)propanoate	60658-04-0
ethyl 3,3-bis(tert-pentylperoxy)butyrate	67567-23-1
3-ethyl 5-methyl 2-(2-aminoethoxymethyl)-4-(2- chlorophenyl)-1,4-dihydro-6-methyl-3,5- pyridinedicarboxylate	88150-42-9

ethyl acetate	141-78-6
ethyl acrylate	140-88-5
ethyl bromoacetate	105-36-2
ethyl chloroacetate	105-39-5
ethyl chloroformate	541-41-3
ethyl formate	109-94-4
ethyl lactate; ethyl DL-lactate	97-64-3
ethyl methacrylate	97-63-2
ethyl methyl ether	540-67-0
O-ethyl O-4-nitrophenyl phenylphosphonothioate; EPN	2104-64-5
ethyl propionate	105-37-3
3-ethyl-2-methylpentane	609-26-7
3-ethyl-3-methylpentane	1067-08-9
(ethyl-3-oxobutanoato-O'1,O'3)(2- dimethylaminoethanolato)(1-methoxypropan-2- olato)aluminium(III), dimerised	-
N-ethylaniline	103-69-5
ethylbenzene	100-41-4
ethyldimethylamine	598-56-1
ethylene dinitrate; ethylene glycol dinitrate	628-96-6
3-ethylhexane	619-99-8
O-ethylhydroxylamine	624-86-2
3-ethylpentane	617-78-7
S-[2-(ethylsulphinyl)ethyl] O,O-dimethyl phosphorodithioate	2703-37-9
ethynyl cyclopropane	6746-94-7
etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole	2593-15-9
fenaminosulf (ISO); sodium 4-dimethylaminobenzenediazosulphonate	140-56-7
fenamiphos (ISO); ethyl-4-methylthio-m-tolyl isopropyl phosphoramidate	22224-92-6
fenazaquin (ISO); 4-[2-[4-(1,1-dimethylethyl)phenyl]-ethoxy]quinazoline	120928-09-8
fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide	13356-08-6
fenpropathrin (ISO); α -cyano-3-phenoxybenzyl 2,2,3,3- tetramethylcyclopropanecarboxylate	39515-41-8
fensulfotion (ISO); O,O-diethyl O-4-methylsulfinylphenyl phosphorothioate	115-90-2
fenthion (ISO); O,O-dimethyl-O-(4-methylthion-m-tolyl) phosphorothioate	55-38-9

fentin acetate (ISO); triphenyltin acetate	900-95-8
fentin hydroxide (ISO); triphenyltin hydroxide	76-87-9
fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile	120068-37-3
fluenetil (ISO); 2-fluoroethyl biphenyl-4-ylacetate	4301-50-2
2-fluoro-5-trifluoromethylpyridine	69045-82-5
2-fluoro-6-trifluoromethylpyridine	94239-04-0
2-fluoroacetamide	640-19-7
fluoroacetates, soluble	-
fluquinconazole (ISO); 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1- yl)quinazolin-4-(3H)-one	136426-54-5
fonofos (ISO); O-ethyl phenyl ethylphosphonodithioate	944-22-9
Foots oil (petroleum), acid-treated; Foots oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C20 through C50.]	93924-31-3
Foots oil (petroleum), clay-treated; Foots oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C20 through C50.]	93924-32-4
formetanate (ISO); 3-[(EZ)-dimethylaminomethyleneamino]phenyl methylcarbamate	22259-30-9
formetanate hydrochloride; 3-(N,N-dimethylaminomethyleneamino)phenyl N- methylcarbamate	23422-53-9
fosthiazate (ISO); (RS)-S-sec-butyl-O-ethyl-2-oxo-1,3-thiazolidin-3- ylphosphonothioate	98886-44-3
fosthietan (ISO); diethyl 1,3-dithietan-2-ylidenephosphoramidate	21548-32-3

Fuel gases, crude oil of distillates; Petroleum gas; [A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C4 and boiling in the range of approximately -217°C to -12°C (-423°F to 10°F).]	68476-29-9
Fuel gases; Petroleum gas; [A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.]	68476-26-6
2-furaldehyde	98-01-1
furathiocarb (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl 2,4-dimethyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate	65907-30-4
furfuryl alcohol	98-00-0
Gases (petroleum), alkylation feed; Petroleum gas; [A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C4.]	68606-27-9
Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen. Carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5 may also be present.]	68477-65-6
Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C1 through C6, including benzene, may also be present.]	68477-66-7

<p>Gases (petroleum), benzene unit hydrotreater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C1 through C6. It may contain trace amounts of benzene.]</p>	68602-82-4
<p>Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C1 through C6.]</p>	68477-67-8
<p>Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68477-68-9
<p>Gases (petroleum), butane splitter overheads; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C3 through C4.]</p>	68477-69-0
<p>Gases (petroleum), C1-5, wet; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68602-83-5
<p>Gases (petroleum), C2-3-; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.]</p>	68477-70-3

- Gases (petroleum), C2-4, sweetened; 68783-65-3
Petroleum gas;
[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C2 through C4 and boiling in the range of approximately -51°C to -34°C (-60°F to -30°F).]
- Gases (petroleum), C2-return stream; 68477-84-9
Refinery gas;
[A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.]
- gases (petroleum), C3-4, isobutane-rich; 68477-33-8
Petroleum gas;
[A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C3 through C6, predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C3 through C4, predominantly isobutane.]
- Gases (petroleum), C3-4; 68131-75-9
Petroleum gas;
[A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C4, predominantly of propane and propylene, and boiling in the range of approximately -51°C to -1°C (-60°F to 30°F).]
- Gases (petroleum), C3-5 olefinic-paraffinic alkylation feed; 68477-83-8
Petroleum gas;
[A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C3 through C5 which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.]

<p>Gases (petroleum), C4-rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C4.]</p>	68477-85-0
<p>Gases (petroleum), C6-8 catalytic reformer recycle, hydrogen-rich; Refinery gas</p>	68477-82-7
<p>Gases (petroleum), C6-8 catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C6-C8 feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68477-80-5
<p>Gases (petroleum), C6-8 catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C6-C8 feed. It consists of hydrocarbons having carbon numbers in the range of C1 through C5 and hydrogen.]</p>	68477-81-6
<p>Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68952-76-1
<p>Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C3-rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C2 through C4, predominantly C3.]</p>	68477-73-6

<p>Gases (petroleum), catalytic cracked overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C5 and boiling in the range of approximately -48°C to 32°C (-54°F to 90°F).]</p>	68409-99-4
<p>Gases (petroleum), catalytic cracker, C1-5-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C1 through C6, predominantly C1 through C5.]</p>	68477-75-8
<p>Gases (petroleum), catalytic cracker; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68477-74-7
<p>Gases (petroleum), catalytic cracking; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C3 through C5.]</p>	68783-64-2
<p>Gases (petroleum), catalytic polyimd. naphtha stabilizer overhead, C2-4-rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C2 through C6, predominantly C2 through C4.]</p>	68477-76-9
<p>Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68477-77-0

<p>Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.]</p>	68513-14-4
<p>Gases (petroleum), catalytic reformer, C1-4-rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C1 through C6, predominantly C1 through C4.]</p>	68477-79-2
<p>Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, C4-rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C4.]</p>	68477-71-4
<p>Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, C3-5-rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C3 through C5.]</p>	68477-72-5
<p>Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68989-88-8
<p>Gases (petroleum), crude oil fractionation off; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68918-99-0

<p>Gases (petroleum), deethanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.]</p>	<p>68477-86-1</p>
<p>Gases (petroleum), dehexanizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	<p>68919-00-6</p>
<p>Gases (petroleum), deisobutanizer tower overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C3 through C4.]</p>	<p>68477-87-2</p>
<p>Gases (petroleum), depropanizer bottoms fractionation off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.]</p>	<p>68606-34-8</p>
<p>Gases (petroleum), depropanizer dry, propene-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.]</p>	<p>68477-90-7</p>
<p>Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C4.]</p>	<p>68477-91-8</p>
<p>Gases (petroleum), distillate unifiner desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the unifiner desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.]</p>	<p>68919-01-7</p>

<p>Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	68477-92-9
<p>Gases (petroleum), fluidized catalytic cracker fractionation off; Refinery gas; [A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68919-02-8
<p>Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.]</p>	68919-03-9
<p>Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of the charge to the C3 -C4 splitter. It consists predominantly of C3 hydrocarbons.]</p>	68919-20-0
<p>Gases (petroleum), full-range straight-run naphtha dehexanizer off; petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C2 through C6.]</p>	68513-15-5
<p>Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C1 through C3.]</p>	68477-93-0

<p>Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C1 through C5.]</p>	92045-15-3
<p>Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	92045-16-4
<p>Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	92045-17-5
<p>Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C1 through C4, predominantly propane.]</p>	68477-94-1
<p>Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C4.]</p>	68477-95-2
<p>Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68919-04-0

<p>Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich; Petroleum gas; [A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4. It may also contain small amounts of hydrogen and hydrogen sulfide.]</p>	68513-16-6
<p>Gases (petroleum), hydrocracking low-pressure separator; Refinery gas; [A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	68783-06-2
<p>Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C2 hydrocarbons.]</p>	68477-96-3
<p>Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	92045-18-6
<p>Gases (petroleum), hydrogen-rich; Refinery gas; [A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C2 hydrocarbons.]</p>	68477-97-4
<p>Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C4 through C5.]</p>	68911-58-0

<p>Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydrocarbons having carbon numbers predominantly in the range of C2 through C5.]</p>	68911-59-1
<p>Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich; Refinery gas; [A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68477-98-5
<p>Gases (petroleum), isomerized naphtha fractionator, C4-rich, hydrogen sulfide-free; Petroleum gas</p>	68477-99-6
<p>Gases (petroleum), light straight run gasoline fractionation stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68919-05-1
<p>Gases (petroleum), light straight-run naphtha stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C6.]</p>	68513-17-7
<p>Gases (petroleum), naphtha steam cracking high-pressure residual; Refinery gas; [A complex combination obtained as a reaction mass of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C1 through C5 with which natural gas may also be mixed.]</p>	92045-19-7

<p>Gases (petroleum), naphtha unifier desulfurization stripper off; Petroleum gas; [A complex combination of hydrocarbons produced by a naphtha unifier desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	<p>68919-06-2</p>
<p>Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C1 through C6 or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C2, hydrogen, nitrogen, and carbon monoxide.]</p>	<p>68527-15-1</p>
<p>Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C4.]</p>	<p>68814-90-4</p>
<p>Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.]</p>	<p>68919-07-3</p>
<p>Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	<p>68919-08-4</p>
<p>Gases (petroleum), recycle, hydrogen-rich; Refinery gas; [A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C1 through C5.]</p>	<p>68478-00-2</p>

<p>Gases (petroleum), refinery blend; Petroleum gas; [A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	<p>68783-07-3</p>
<p>Gases (petroleum), refinery; Refinery gas; [A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	<p>68814-67-5</p>
<p>Gases (petroleum), reformer effluent high-pressure flash drum off; Refinery gas; [A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]</p>	<p>68513-18-8</p>
<p>Gases (petroleum), reformer effluent low-pressure flash drum off; Refinery gas; [A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]</p>	<p>68513-19-9</p>
<p>Gases (petroleum), reformer make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	<p>68478-01-3</p>
<p>Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	<p>68478-04-6</p>

<p>Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C5.]</p>	68478-03-5
<p>Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C3 through C5.]</p>	68478-02-4
<p>Gases (petroleum), residue visbaking off; Refinery gas; [A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	92045-20-0
<p>Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	68602-84-6
<p>Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68955-33-9
<p>Gases (petroleum), steam-cracker C3-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately -70°C to 0°C (-94°F to 32°F).]</p>	92045-22-2

<p>Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C2 through C4.]</p>	68955-34-0
<p>Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.]</p>	68919-09-5
<p>Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68919-10-8
<p>Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68919-11-9
<p>Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-05-7
<p>Gases (petroleum), unifiner stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifiner unit.]</p>	68919-12-0

Gases (petroleum, light steam-cracked, butadiene conc.; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists of hydrocarbons having a carbon number predominantly of C4.]	68955-28-2
glutamic acid, reaction products with N-(C12-14- alkyl)propylenediamine	-
glutaral; glutaraldehyde; 1,5-pentanedial	111-30-8
glycerol trinitrate; nitroglycerine	55-63-0
glycerol trinitrate; nitroglycerine; [>40 % phlegmatiser]	55-63-0
guazatine (ISO)	108173-90-6
heptachlor (ISO); 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7- methanoindene	76-44-8
heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7- methanoindane	1024-57-3
heptan-2-one; methyl amyl ketone	110-43-0
heptan-3-one; butyl ethyl ketone	106-35-4
heptan-4-one; di-n-propyl ketone	123-19-3
heptane; n-heptane	142-82-5
heptenophos (ISO); 7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate	23560-59-0
1,2,3,4,5,6-hexachlorocyclohexanes with the exception of those specified elsewhere in this Annex	-
hexachlorocyclopentadiene	77-47-4
hexachloroplatinates with the exception of those specified elsewhere in this Annex	-
hexachloroplatinic acid	16941-12-1
hexafluoropropene; hexafluoropropylene	116-15-4
(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9- dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone	83-79-4

hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate)	124537-30-0
hexamethylene-di-isocyanate	822-06-0
hexan-2-one; methyl butyl ketone; butyl methyl ketone; methyl-n-butyl ketone	591-78-6
n-hexane	110-54-3
hexane (containing < 5 % n-hexane (203-777-6)); 2-methylpentane	107-83-5
3-(cis-3-hexenyloxy)propanenitril	142653-61-0
n-hexyllithium	21369-64-2
salts of hydrazine	-
hydrazine-trinitromethane	-
N,N-hydrazinodiacetic acid	19247-05-3
(4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride	81880-96-8
Hydrocarbons, C1-3; Petroleum gas; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C1 through C3 and boiling in the range of approximately minus 164°C to minus 42°C (-263°F to -44°F).]	68527-16-2
Hydrocarbons, C1-4, debutanizer fraction; Petroleum gas	68527-19-5
Hydrocarbons, C1-4, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C4 and boiling in the range of approximately -164°C to -0.5°C (-263°F to 31°F).]	68514-36-3
Hydrocarbons, C1-4; Petroleum gas; [A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C4 and boiling in the range of approximately minus 164°C to minus 0.5°C (-263°F to 31°F).]	68514-31-8

Hydrocarbons, C2-4, C3-rich; Petroleum gas	68476-49-3
Hydrocarbons, C2-4; Petroleum gas	68606-25-7
Hydrocarbons, C3; Petroleum gas	68606-26-8
Hydrocarbons, C3-4; Petroleum gas	68476-40-4
Hydrocarbons, C3-4-rich, petroleum distillate; Petroleum gas; [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	68512-91-4
Hydrocarbons, C4, 1,3-butadiene- and isobutene-free; Petroleum gas	95465-89-7
Hydrocarbons, C4, steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C4, predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12°C to 5°C (10.4°F to 41°F).]	92045-23-3
Hydrocarbons, C4; Petroleum gas	87741-01-3
Hydrocarbons, C4-5; Petroleum gas	68476-42-6
hydrofluoric acid	7664-39-3
hydrogen bromide	10035-10-6
hydrogen cyanide	74-90-8
hydrocyanic acid	
salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex	-
hydrogen iodide	10034-85-2
hydrogen peroxide solution	7722-84-1
hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide	78-18-2
hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide	78-18-2
3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate	-
2-hydroxy-1-methylethylacrylate	2918-23-2

2-hydroxy-2-methylpropionitrile; 2-cyanopropan-2-ol; acetone cyanohydrin	75-86-5
reaction mass of: cis-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; trans-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin	90035-08-8
4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; brodifacoum	56073-10-0
(S)- α -hydroxy-3-phenoxy-benzeneacetonitrile reaction product of: (2-hydroxy-4-(3-propenoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane)	61826-76-4 -
2-hydroxyethyl acrylate	818-61-1
2-hydroxyethylammonium perbromide	-
hydroxylammonium nitrate	13465-08-2
2-hydroxypropylacrylate	999-61-1
hyoscine	51-34-3
salts of hyoscine	-
hyoscyamine	101-31-5
salts of hyoscyamine	-
3,3'-iminodi(propylamine); dipropylenetriamine	56-18-8
inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex	-
iodoacetic acid	64-69-7
3-iodopropene; allyl iodide	556-56-9
ioxynil (ISO); 4-hydroxy-3,5-diiodobenzonitrile	1689-83-4
ioxynil octanoate (ISO); 4-cyano-2,6-diiodophenyl octanoate	3861-47-0
salts of ioxynil with the exception of those specified elsewhere in this Annex	-
IPSP; S-ethylsulphinylmethyl O,O-diisopropylphosphorodithioate	5827-05-4
isazofos (ISO); O-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) O,O-diethyl phosphorothioate	42509-80-8
isobenzan (ISO); 1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7- methanoisobenzofuran	297-78-9
isobutyl acetate	110-19-0

isobutyl acrylate	106-63-8
isobutyl but-3-enoate	24342-03-8
isobutyl formate	542-55-2
isobutyl methacrylate	97-86-9
isobutyl nitrite	542-56-3
isobutylisopropyldimethoxysilane	111439-76-0
O-isobutyl-N-ethoxy carbonylthiocarbamate	103122-66-3
isobutyryl chloride	79-30-1
2-(isocyanatosulfonylmethyl)benzoic acid methyl ester; (alt.):methyl 2-(isocyanatosulfonylmethyl)benzoate	83056-32-0
isodrin; (1 α ,4 α ,4 β ,5 β ,8 β ,8 $\alpha\beta$)-1,2,3,4,10,10-hexachloro- 1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene	465-73-6
isofenphos (ISO); O-ethyl O-2-isopropoxycarbonylphenyl- isopropylphosphoramidothioate	25311-71-1
isoheptane	31394-54-4
isooctane	26635-64-3
isopentyl acetate	123-92-2
isopentyl formate	110-45-2
isopentyl propionate	105-68-0
propyl acetate	108-21-4
isopropyl chloroacetate	105-48-6
isopropyl formate	625-55-8
isopropyl propionate	637-78-5
trans-isopropyl-3- [[[(ethylamino)methoxyfosfinothioyl]oxy]crotonate; isopropyl 3- [[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate; propetamphos (ISO)	31218-83-4
1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate; Isolan	119-38-0
isopropylammonium 2-(3-benzoylphenyl)propionate	-
S-[2-(isopropylsulphanyl)ethyl] O,O-dimethyl phosphorothioate	2635-50-9
isothioate (ISO); S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate	36614-38-7
isoxathion (ISO); O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate	18854-01-8

kelevan (ISO); ethyl 5-(perchloro-5- hydroxypentacyclo[5,3,0,02,6,03,9,04,8]decan-5-yl)-4- oxopentanoate; ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4- hydroxypentacyclo(5,2,1,02,6,03,9,05,8)dec-4-yl)-4- oxovalerate	4234-79-1
ketoconazole; 1-[4-[4-[[[(2SR,4RS)-2-(2,4-dichlorophenyl)-2-(imidazol-1- ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]piperazin-1- yl]ethanone	65277-42-1
lambda-cyhalothrin (ISO); reaction mass of (S)- α -cyano-3-phenoxybenzyl(Z)-(1R)-cis- 3-(2-chloro-3,3,3-trifluoropropenyl)-2,2- dimethylcyclopropanecarboxylate and (R)- α -cyano-3- phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3- trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1)	91465-08-6
lead alkyls	-
lead hydrogen arsenate	7784-40-9
leptophos (ISO); O-4-bromo-2,5-dichlorophenyl O-methyl phenylphosphorothioate	21609-90-5
lindane (ISO); γ -HCH or γ -BHC; γ -1,2,3,4,5,6-hexachlorocyclohexane	58-89-9
lithium bis(trifluoromethylsulfonyl)imide	90076-65-6
magnesium alkyls	-
magnesium hexafluorosilicate	16949-65-8
magnesium phosphide; trimagnesium diphosphide	12057-74-8
magnesium powder (pyrophoric)	7439-95-4
malononitrile	109-77-3
mecarbam (ISO); N-ethoxycarbonyl-N-methylcarbamoylmethyl O,O-diethyl phosphorodithioate	2595-54-2
medinoterb acetate (ISO); 6-tert-butyl-3-methyl-2,4-dinitrophenyl acetate	2487-01-6
(R)-p-mentha-1,8-diene; d-limonene	5989-27-5
(S)-p-mentha-1,8-diene; l-limonene	5989-54-8
8-p-menthyl hydroperoxide; p-menthane hydroperoxide	80-47-7
mephosfolan (ISO); diethyl 4-methyl-1,3-dithiolan-2-ylidenephosphoramidate	950-10-7

mercaptodimethur (ISO); methiocarb (ISO); 3,5-dimethyl-4-methylthiophenyl N-methylcarbamate	2032-65-7
mercury	7439-97-6
mercury dichloride; mercuric chloride	7487-94-7
mercury difulminate; mercuric fulminate; fulminate of mercury	628-86-4
mercury difulminate; mercuric fulminate; fulminate of mercury [≥ 20 % phlegmatiser]	628-86-4
mesitylene; 1,3,5-trimethylbenzene	108-67-8
methamidophos (ISO); O,S-dimethyl phosphoramidothioate	10265-92-6
methanol	67-56-1
methidathion (ISO); 2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl- O,O-dimethylphosphorodithioate	950-37-8
methomyl (ISO); 1-(methylthio)ethylideneamino N-methylcarbamate	16752-77-5
2-methoxy-1-methylethyl acetate	108-65-6
2-methoxy-2-methylbutane; tert-amyl methyl ether	994-05-8
1-methoxy-2-propanol; monopropylene glycol methyl ether	107-98-2
1-methoxy-2-propylamine	37143-54-7
4-methoxy-4-methylpentan-2-one	107-70-0
2-methoxyaniline; o-anisidine	90-04-0
2-methoxyethanol; ethylene glycol monomethyl ether	109-86-4
bis(2-methoxyethyl) ether	111-96-6
2-methoxyethylmercury chloride	123-88-6
2-methoxypropanol	1589-47-5
2-methoxypropyl acetate	70657-70-4
methyl (\pm)-lactate	2155-30-8
methyl (R)-lactate	17392-83-5
methyl (S)-(-)-lactate	27871-49-4
methyl acetate	79-20-9
methyl acrylate; methyl propenoate	96-33-3
methyl chloroacetate	96-34-4

methyl iodide; iodomethane	74-88-4
methyl lactate	547-64-8
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	80-62-6
methyl propionate	554-12-1
2-methyl-2-azabicyclo[2.2.1]heptane	4524-95-2
(S)-methyl-2-chloropropionate	73246-45-4
trans-methyl-2-ethyl-but-2-enoate	101226-85-1
2-methyl-3-(trimethoxysilyl)propyl-2-propenoate hydrolysis product with silica	125804-20-8
(±)-1-methyl-4-(1-methylvinyl)cyclohexene	7705-14-8
trans-1-methyl-4-(1-methylvinyl)cyclohexene	6876-12-6
2-methyl-5-tert-butylthiophenol	-
N-methylaniline	100-61-8
bis(4-methylbenzoyl)peroxide	895-85-2
2-methylbutan-2-ol; tert-pentanol	75-85-4
3-methylbutan-2-one; methyl isopropyl ketone	563-80-4
1-methylbutyl acetate	626-38-0
2(or 3)-methylbutyl acetate	84145-37-9
2-methylbutyl acetate	624-41-9
2-methylbutyl propionate	2438-20-2
methylcyclohexane	108-87-2
2-methylcyclohexanone	583-60-8
methylene dithiocyanate	6317-18-6
2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene	70-30-4
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate	5124-30-1
bis(1-methylethyl)-dimethoxysilane	18230-61-0
methylethylketone peroxide trimer	-
5-methylheptan-3-one	541-85-5
2-methylheptane	592-27-8
3-methylheptane	589-81-1
4-methylheptane	589-53-7
5-methylhexan-2-one; isoamyl methyl ketone	110-12-3
2-methylhexane	591-76-4
3-methylhexane	589-34-4
4-methyl-m-phenylenediamine; 2,4-toluenediamine	95-80-7

N-methyl-m-toluidine	696-44-6
N-methyl-N-2,4,6-tetranitroaniline; tetryl	479-45-8
bis(N-methyl-N-phenylhydrazine)sulfate	618-26-8
7-methylocta-1,6-diene	42152-47-6
N-methyl-o-toluidine	611-21-2
4-methylpent-3-en-2-one; mesityl oxide	141-79-7
3-(3-methylpent-3-yl)isoxazol-5-ylamine	82560-06-3
4-methylpentan-2-ol; methyl isobutyl carbinol	108-11-2
4-methylpentan-2-one; isobutyl methyl ketone	108-10-1
3-methylpentane	96-14-0
methyl-phenylene diamine; diaminotoluene; [technical product – reaction mass of 4-methyl-m-phenylene diamine (EC No 202-453-1) and 2-methyl-m-phenylene diamine (EC No 212-513-9)]	-
2-methyl-p-phenylenediamine sulphate	615-50-9
2-methyl-p-phenylenediamine; 2,5-toluenediamine	95-70-5
2-methylpropan-1-ol; iso-butanol	78-83-1
2-methylpropan-2-ol; tert-butyl alcohol	75-65-0
(2-methylpropyl)lithium; isobutyl lithium	920-36-5
N-methyl-p-toluidine	623-08-5
3-methylpyrazol-5-yl-dimethylcarbamate; monometilan	2532-43-6
2-methylpyridine; 2-picoline	109-06-8
4-methylpyridine; 4-picoline	108-89-4
mevinphos (ISO); 2-methoxycarbonyl-1-methylvinyl dimethyl phosphate	7786-34-7
mexacarbate (ISO); 3,5-dimethyl-4-dimethylaminophenyl N-methylcarbamate	315-18-4
mipafox (ISO); N,N'- di-isopropylphosphorodiamidic fluoride	371-86-8
monocrotophos (ISO); dimethyl-1-methyl-2-(methylcarbamoyle)vinyl phosphate	6923-22-4
morpholine	110-91-8

morphothion (ISO); O,O-dimethyl-S-(morpholinocarbonylmethyl) phosphorodithioate	144-41-2
Naphthenic acids, copper salts; copper naphthenate	1338-02-9
neodecanoyl chloride	40292-82-8
nickel dichloride	7718-54-9
nickel dinitrate	13138-45-9
nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine	54-11-5
salts of nicotine	-
nitric acid, nickel salt	14216-75-2
m-nitroaniline	99-09-2
o-nitroaniline	88-74-4
p-nitroaniline	100-01-6
nitroethane	79-24-3
nitromethane	75-52-5
5-nitro-o-toluidine	99-55-8
5-nitro-o-toluidine hydrochloride	51085-52-0
2-nitro-p-anisidine; 4-methoxy-2-nitroaniline	96-96-8
1-nitropropane	108-03-2
2-nitropropane	79-46-9
4-nitrotoluene	99-99-0
nitrotoluidines, with the exception of those specified elsewhere in this Annex	-
6-(nonylamino)-6-oxo-peroxyhexanoic acid	104788-63-8
octane; n-octane	111-65-9
octhilinone (ISO); 2-octyl-2H-isothiazol-3-one	26530-20-1
omethoate (ISO); O,O-dimethyl S-methylcarbamoylmethyl phosphorothioate	1113-02-6
organic compounds of mercury with the exception of those specified elsewhere in this Annex	-
osmium tetroxide; osmic acid	20816-12-0
ouabain	630-60-4
oxamyl (ISO); N',N'-dimethylcarbamoyl(methylthio)methylenamine N- methylcarbamate	23135-22-0
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)- trione; TGIC	2451-62-9

oxydemeton-methyl; S-2-(ethylsulphinyl)ethyl O,O-dimethyl phosphorothioate	301-12-2
4,4'-oxydianiline and its salts; p-aminophenyl ether	101-80-4
2,2'-oxydiethyl diacrylate; diethylene glycol diacrylate	4074-88-8
oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate	693-21-0
oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate; [>25 % phlegmatiser]	693-21-0
oxydisulfoton (ISO); O, O-diethyl S-2-ethylsulphinyethyl phosphorodithioate	2497-07-6
oxygen	7782-44-7
paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride	1910-42-5
paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate	2074-50-2
parathion - methyl (ISO); O,O-dimethyl O-4-nitrophenyl phosphorothioate	298-00-0
parathion (ISO); O,O-diethyl O-4-nitrophenyl phosphorothioate	56-38-2
pentachlorophenol	87-86-5
1,1,1,3,3-pentafluorobutane	406-58-6
pentan-3-one; diethyl ketone	96-22-0
pentane-2,4-dione; acetylacetone	123-54-6
1-pentanol	71-41-0
3-pentanol	584-02-1
pentanol isomers, with the exception fo those specified elsewhere in this Annex	-
pentyl acetate	628-63-7
pentyl formate	35073-27-9
pentyl formate	638-49-3
pentyl nitrite	463-04-7
pentyl propionate	624-54-4
perboric acid (HBO(O ₂)), sodium salt, monohydrate	10332-33-9
perboric acid, sodium salt	11138-47-9
perboric acid, sodium salt	7632-04-4
perboric acid, sodium salt, monohydrate	12040-72-1
perchloric acid	7601-90-3

Petroleum gases, liquefied, sweetened, C4 fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C4 saturated and unsaturated hydrocarbons.]	92045-80-2
Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]	68476-86-8
Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	68607-11-4
1,10-phenanthroline	66-71-7
phenkapton (ISO);	2275-14-1
S-(2,5-dichlorophenylthiomethyl) O,O-diethyl phosphorodithioate	
phenol;	108-95-2
carbolic acid;	
monohydroxybenzene;	
phenylalcohol	
m-phenylenediamine	108-45-2
o-phenylenediamine	95-54-5
m-phenylenediamine dihydrochloride	541-69-5
o-phenylenediamine dihydrochloride	615-28-1
2-phenylethylisocyanate	1943-82-4
phenylhydrazine	100-63-0
phenylhydrazine hydrochloride	27140-08-5
phenylhydrazinium chloride	59-88-1
phenylhydrazinium sulphate (2:1)	52033-74-6
phenylmercury acetate	62-38-4
phenylmercury hydroxide	100-57-2
phenylmercury nitrate	55-68-5
2-phenylpropene;	98-83-9
α-methylstyrene	

phorate (ISO); O,O-diethyl ethylthiomethyl phosphorodithioate	298-02-2
phosacetim (ISO); O,O-bis(4-chlorophenyl) N- acetimidoylphosphoramidothioate	4104-14-7
phosalone (ISO); S-(6-chloro-2-oxobenzoxazolin-3-ylmethyl) O,O-diethyl phosphorodithioate	2310-17-0
phosfolan (ISO); diethyl 1,3-dithiolan-2-ylidenephosphoramidate	947-02-4
phosphamidon (ISO); 2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate	13171-21-6
6-(phthalimido)peroxyhexanoic acid	128275-31-0
physostigmine	57-47-6
salts of physostigmine	-
salts of picric acid	-
pilocarpine	92-13-7
salts of pilocarpine	-
pindone (ISO); 2-pivaloylindan-1,3-dione	83-26-1
pirimicarb (ISO); 5,6-dimethyl-2-dimethylamino-pyrimidin-4-yl N,N- dimethylcarbamate	23103-98-2
pirimiphos-ethyl (ISO); O,O-diethyl O-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate	23505-41-1
potasan; O,O-diethyl O-(4-methylcoumarin-7-yl) phosphorothioate	299-45-6
potassium salt of DNOC; potassium 4,6-dinitro-o-cresolate	5787-96-2
potassium bifluoride; potassium hydrogen difluoride	7789-29-9
potassium bromate	7758-01-2
potassium chlorate	3811-04-9
potassium dichromate	7778-50-9
potassium fluoride	7789-23-3
potassium nitrite	7758-09-0
potassium pentachlorophenolate	7778-73-6
potassium perchlorate	7778-74-7
potassium permanganate	7722-64-7
p-phenylenediamine	106-50-3

prallethrin (ISO); ETOC; 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	23031-36-9
promecarb (ISO); 3-isopropyl-5-methylphenyl N-methylcarbamate	2631-37-0
2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate	2094-99-7
prop-2-yn-1-ol; propargyl alcohol	107-19-7
propan-1-ol; n-propanol	71-23-8
propan-2-ol; isopropyl alcohol; isopropanol	67-63-0
propanal; propionaldehyde	123-38-6
reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra-n-propanolate	-
propargite (ISO); 2-(4-tert-butylphenoxy) cyclohexyl prop-2-ynyl sulphite	2312-35-8
propionyl chloride	79-03-8
propoxur (ISO); 2-isopropoxyphenyl N-methylcarbamate; 2-isopropoxyphenyl methylcarbamate	114-26-1
propyl acetate	109-60-4
propyl formate	110-74-7
propyl propionate	106-36-5
propylbenzene	103-65-1
1,3-propylene oxide	503-30-0
propylenediamine	78-90-0
prothoate (ISO); O,O-diethyl isopropylcarbamoymethyl phosphorodithioate	2275-18-5
pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate	-
pyrazoxon; diethyl 3-methylpyrazol-5-yl phosphate	108-34-9
pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one	96489-71-3
pyridine	110-86-1
quinalphos (ISO); O,O-diethyl-O-quinoxalin-2-yl phosphorothioate	13593-03-8

Raffinates (petroleum), steam-cracked C4 fraction cuprous ammonium acetate extn., C3-5 and C3-5 unsatd., butadiene-free; Petroleum gas	97722-19-5
reaction mass of: 1,2-dimethylpropylidene dihydroperoxide; dimethyl 1,2-benzenedicarboxylate	-
reaction mass of: 1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)monoester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methylethyl)phenyl)ethylidene)bisphenol; 1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)diester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methylethyl)phenyl)ethylidene)bisphenol; 1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)triester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methylethyl)phenyl)ethylidene)bisphenol	-
reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight	71566-50-2
reaction mass of: 2,2'-bis(tert-pentylperoxy)-p-diisopropylbenzene; 2,2'-bis(tert-pentylperoxy)-m-diisopropylbenzene	32144-25-5
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9
reaction mass of: bis(isotridecylammonium)mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate; isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate	-
Residues (petroleum), alkylation splitter, C4-rich; Petroleum gas; [A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C4 through C5, predominantly butane and boiling in the range of approximately -11.7°C to 27.8°C (11°F to 82°F).]	68513-66-6
schradan (ISO); octamethylpyrophosphoramidate	152-16-9
sec-butyl acetate	105-46-4

sec-butyl nitrite	924-43-6
selenium	7782-49-2
selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex	-
silver nitrate	7761-88-8
sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulfonate	-
sodium azide	26628-22-8
sodium bifluoride;	1333-83-1
sodium hydrogen difluoride	
sodium chlorate	7775-09-9
sodium chromate	7775-11-3
sodium dichromate	10588-01-9
sodium dichromate, dihydrate	7789-12-0
sodium fluoride	7681-49-4
sodium fluoroacetate	62-74-8
sodium nitrite	7632-00-0
sodium pentachlorophenolate	131-52-2
sodium perborate	15120-21-5
sodium perchlorate	7601-89-0
sodium peroxide	1313-60-6
sodium polysulphides	1344-08-7
sodium salt of chloroacetic acid;	3926-62-3
sodium chloroacetate	
sodium salt of DNOC; sodium 4,6-dinitro-o-cresolate	2312-76-7
sodium selenite	10102-18-8
sodium((n-butyl)x(ethyl)y-1,5-dihydro)aluminate) x = 0,5, y = 1,5	-
strophantin-K	11005-63-3
Strychnidin-10-one, 2,3-dimethoxy-, compd. with (S)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1)	68310-42-9
Strychnidin-10-one, 2,3-dimethoxy-, mono[(R)-1-methylheptyl 1,2-benzenedicarboxylate]	68239-26-9
strychnine	57-24-9
salts of strychnine	-
styrene	100-42-5
sulfotep (ISO);	3689-24-5
O,O,O,O-tetraethyl dithiopyrophosphate	
sulphuryl difluoride	2699-79-8
symclosene;	87-90-1
trichloroisocyanuric acid;	
trichloro-1,3,5-triazinetriol	

<p>Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-21-7
<p>Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber; Petroleum gas; [The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C1 through C4.]</p>	68307-98-2
<p>Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68952-77-2
<p>Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-22-8
<p>Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C3.]</p>	68478-25-1

<p>Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68478-24-0
<p>Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.]</p>	68952-79-4
<p>Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C1 through C4.]</p>	68307-99-3
<p>Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68308-00-9
<p>Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68478-26-2
<p>Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-27-3

<p>Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-28-4
<p>Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68478-29-5
<p>Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68308-01-0
<p>Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68308-03-2
<p>Tail gas (petroleum), gas recovery plant deethanizer; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68308-05-4
<p>Tail gas (petroleum), gas recovery plant; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68308-04-3

<p>Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68308-06-5
<p>Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68478-30-8
<p>Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68308-07-6
<p>Tail gas (petroleum), isomerized naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68308-08-7
<p>Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68308-09-8

<p>Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68308-11-2
<p>Tail gas (petroleum), saturate gas plant mixed stream, C4-rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C3 through C6, predominantly butane and isobutane.]</p>	68478-32-0
<p>Tail gas (petroleum), saturate gas recovery plant, C1-2-rich; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C1 through C5, predominantly methane and ethane.]</p>	68478-33-1
<p>Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C4.]</p>	68308-10-1
<p>Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]</p>	68952-80-7
<p>Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]</p>	68952-82-9

Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]	68952-81-8
Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C1 through C6.]	68308-12-3
Tail gas (petroleum), vacuum residues thermal cracker; Petroleum gas; [A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C1 through C5.]	68478-34-2
TEPP (ISO); tetraethyl pyrophosphate	107-49-3
terbufos (ISO); S-tert-butylthiomethyl O,O-diethylphosphorodithioate	13071-79-9
1-tert-butoxypropan-2-ol	57018-52-7
tert-butyl (triphenylphosphoranylidene) acetate	35000-38-5
tert-butyl acetate	540-88-5
tert-butyl acrylate	1663-39-4
tert-butyl formate	762-75-4
tert-butyl methyl ether; MTBE;	1634-04-4
2-methoxy-2-methylpropane	
tert-butyl nitrite	540-80-7
O,O-tert-butyl O-docosyl monoperoxyoxalate	116753-76-5
tert-butyl propionate	20487-40-5
tert-butyl α,α -dimethylbenzyl peroxide	3457-61-2
tert-butylarsine	4262-43-5
1,1,2,2-tetrabromoethane	79-27-6
4,4,5,5-tetrachloro-1,3-dioxolan-2-one	22432-68-4
1,1,2,2-tetrachloroethane	79-34-5
2,3,4,6-tetrachlorophenol	58-90-2
tetrachloroplatinates with the exception of those specified elsewhere in this Annex	-

tetraethyl silicate; ethyl silicate	78-10-4
1,2,3,4-tetrahydro-1-naphthyl hydroperoxide	771-29-9
2,3,5,6-tetrahydro-2-methyl-2H-cyclopenta[d]-1,2-thiazol-3-one	82633-79-2
3a,4,7,7a-tetrahydro-4,7-methanoindene	77-73-6
tetrahydrofuran	109-99-9
tetrahydrothiophene	110-01-0
tetrakis(dimethylditetradecylammonium) hexa- μ -oxotetra- μ 3-oxodi- μ 5-oxotetradecaooxooctamolybdate(4-)	117342-25-3
tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo))-1-naphthylazo)naphthalene-2,7-disulfonate	116340-05-7
tetrakis(tetramethylammonium)3,3'-(6-(2-hydroxyethylamino)1,3,5-triazine-2,4-diylbisimino(2-methyl-4,1-phenyleneazo))bisnaphthalene-1,5-disulfonate	131013-83-7
tetramethylammonium hydrogen phthalate	79723-02-7
tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate	131013-81-5
2,2,3,3-tetramethylbutane	594-82-1
1,1,3,3-tetramethylbutylperoxypivalate	22288-41-1
N,N,N',N'-tetramethylethylenediamine	110-18-9
thallium	7440-28-0
thallium compounds, with the exception of those specified elsewhere in this Annex	-
thallium thiocyanate	3535-84-0
thiocarbonyl chloride	463-71-8
thiofanox (ISO); 3,3-dimethyl-1-(methylthio)butanone-O-(N-methylcarbamoyl)oxime	39196-18-4
reaction product of thioglycerol and mercaptoacetic acid consisting mainly of 3-mercapto-1,2-bismercaptoacetoxyp propane and oligomers of this substance	-
thioglycolic acid	68-11-1
thiometon (ISO); S-2-ethylthioethyl O,O-dimethyl phosphorodithioate	640-15-3
thionazin (ISO); O,O-diethyl O-pyrazin-2-yl phosphorothioate	297-97-2
toluene	108-88-3
toluene-2,4-diammonium sulphate; 4-methyl-m-phenylenediamine sulfate	65321-67-7
toluidine sulphate (1:1)	540-25-0

o-toluidine; 2-aminotoluene	95-53-4
m-toluidine; 3-aminotoluene	108-44-1
p-toluidine; 4-aminotoluene	106-49-0
toluidinium chloride	540-23-8
trialkylboranes	-
trialkylboranes, liquid	-
triamphos (ISO); 5-amino-3-phenyl-1,2,4-triazol-1-yl-N,N,N',N'- tetramethylphosphonic diamide	1031-47-6
triazophos (ISO); O,O-diethyl-O-1-phenyl-1H-1,2,4-triazol-3-yl phosphorothioate	24017-47-8
tributyltin compounds, with the exception of those specified elsewhere in this Annex	-
2,4,6-trichloro-1,3,5-triazine; cyanuric chloride	108-77-0
trichloroacetonitrile	545-06-2
2,3,4-trichlorobut-1-ene	2431-50-7
trichloronate (ISO); O-ethyl O-2,4,5-trichlorophenyl ethylphosphonothioate	327-98-0
α,α,α -trichlorotoluene; benzotrichloride	98-07-7
tricresyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-); tritoyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o- p-p-)	78-30-8
triethyl arsenate	15606-95-8
triethylamine	121-44-8
triethyltin compounds, with the exception of those specified elsewhere in this Annex	-
α,α,α -trifluorotoluene; benzotrifluoride	98-08-8
S-(3-trimethoxysilyl)propyl 19-isocyanato-11-(6- isocyanatohexyl)-10,12-dioxo-2,9,11,13- tetraazanonadecanethioate	85702-90-5

reaction mass of: N-(3-(trimethoxysilyl)propyl)ethylenediamine;	-
N-benzyl-N-(3-(trimethoxysilyl)propyl)ethylenediamine;	
N-benzyl-N'-[3-(trimethoxysilyl)propyl]ethylenediamine;	
N,N'-bis-benzyl-N'-[3-(trimethoxysilyl)propyl]ethylenediamine;	
N,N,N'-tris-benzyl-N'-[3-(trimethoxysilyl)propyl]ethylenediamine;	
N,N-bis-benzyl-N'-[3-(trimethoxysilyl)propyl]ethylenediamine	
trimethyl borate	121-43-7
2,4,6-trimethyl-1,3,5-trioxane;	123-63-7
paraldehyde	
2,4,5-trimethylaniline	137-17-7
2,4,5-trimethylaniline hydrochloride	21436-97-5
N,N,N-trimethylanilinium chloride	138-24-9
1,2,4-trimethylbenzene	95-63-6
2,2,3-trimethylbutane	464-06-2
2,2,4-trimethylhexamethylene-1,6-di-isocyanate	16938-22-0
2,2,4-trimethylhexamethylene-1,6-di-isocyanate	15646-96-5
2,4,4-trimethylpent-1-ene	107-39-1
2,2,3-trimethylpentane	564-02-3
2,2,4-trimethylpentane	540-84-1
2,3,3-trimethylpentane	560-21-4
2,3,4-trimethylpentane	565-75-3
bis(2,4,4-trimethylpentyl)dithiophosphonic acid	107667-02-7
trimethyltin compounds, with the exception of those specified elsewhere in this Annex	-
1,3,5-trinitrobenzene	99-35-4
2,4,6-trinitrophenol;	88-89-1
picric acid	
bis(2,4,6-trinitrophenyl)amine;	131-73-7
hexyl	
2,4,6-trinitrotoluene;	118-96-7
TNT	
triphenyl(phenylmethyl)phosphonium 1,1,2,2,3,3,4,4,4-nonafluoro-N-methyl-1-butanefulfonamide (1:1)	332350-93-3
triphenyltin compounds, with the exception of those specified elsewhere in this Annex	-
tripropyltin compounds, with the exception of those specified elsewhere in this Annex	-
trizinc diphosphide;	1314-84-7
zinc phosphide	
troclosene potassium	2244-21-5

troclosene sodium	2893-78-9
Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione	-
turpentine, oil	8006-64-2
uranium	7440-61-1
uranium compounds with the exception of those specified elsewhere in this Annex	-
vamidothion (ISO); O,O-dimethyl S-2-(1-methylcarbamoylethylthio) ethyl phosphorothioate	2275-23-2
white phosphorus	12185-10-3
m-xylene	108-38-3
o-xylene	95-47-6
p-xylene	106-42-3
xylene	1330-20-7
2,4(or 2,5)-xylenol	71975-58-1
2,4-xylenol	105-67-9
2,5-xylenol	95-87-4
2,6-xylenol	576-26-1
3,4-xylenol	95-65-8
3,4-xylenol	526-75-0
xylenol	1300-71-6
3,5-xylenol;	108-68-9
3,5-dimethylphenol	
xylidines with the exception of those specified elsewhere in this Annex;	-
dimethyl anilines with the exception of those specified elsewhere in this Annex	
zinc powder - zinc dust (pyrophoric)	7440-66-6
ziram (ISO);	137-30-4
zinc bis dimethyldithiocarbamate	
zirconium powder (pyrophoric)	7440-67-7